

PL7

max.
12 mm



OEM



EXTENSION OF SERVICE LIFE
VERLÄNGERUNG LEBENSDAUER

MECHANICAL PROTECTION
MECHANISCHER SCHUTZ

COOLING
KÜHLUNG

HIGH LIGHT UTILISATION
HOHE LICHTVERWERTUNG

HOMOGENEOUS LIGHT
HOMOGENES LICHT

HOMOGENEOUS LIGHT WITH MODULAR LED LIGHT SOLUTIONS

- Wall or ceiling mounting
Wand-, Deckenmontage
- Home accessories
Wohnaccessoires
- Display cases | Vitrinen
- Shelves | Regale
- Façades, balconies and terraces
Fassaden, Balkone und Terrassen
- Living spaces | Wohnräume
- Offices | Büroräume
- Hotel and gastronomy business
Hotellerie und Gastronomie
- Retail (shop and showcase windows)
Einzelhandel (Shop- und Schaufenster)
- Business areas and showrooms
Geschäftsfächen und Showrooms
- Barber / Beauty / body art studios
Friseur-/Beauty-/Body-Art-Studios
- Halls, foyers and corridors
Hallen, Foyers und Flure
- Wellness and indoor leisure facilities
Wellness- und Indoor-Freizeitanlagen
- Wet rooms | Nasszellen

Mounting/installation on/in wood strips and plates, plasterboard, tiles, stone, granite, marble and metal surfaces
Montage/Einbau auf/in Holzleisten und -platten, Gipsplatten, Fliesen, Stein-, Granit-, Marmor- und Metalloberflächen

PL7



PL7 ROUND | RUND

LED Stripes max. 12 mm

200 cm Item No. | Art. Nr. 8106072



max. 12 mm

**max.
12 mm**



OEM



The PL7 LED ROUND profile is designed for LED flexstrips with a maximum width of 12 mm and is universally used in interior areas (in conjunction with the PL10 construction profile and cable universal duct also as a stand-alone LED pendant lamp with cord suspension or as LED lamp fixed with mounting brackets/springs).

The LED profile covers opal/satinised (translucence 65%) or clear (translucence 85%) are made of shatter-proof, non-flammable polycarbonate (classification flammability UL94 V-2) and create homogeneous LED lighting conditions with high utilisation of the light output (no pinpoints of light, but rather continuous line of light).

Covers also available in 6m length!

The PL7 LED ROUND profile is dimensioned small and is ideally suited as an LED light source in residential and office rooms as well as retail shops and hotel/gastronomy businesses, among other things, due to its low weight.

Das PL7 LED RUND-Profil ist für LED Flexbänder mit einer maximalen Breite von 12 mm konzipiert und wird universell im Innenbereich (in Verbindung mit dem PL10 Aufbauprofil und Kabel-Universalkanal auch als eigenständige LED Hängeleuchte mit Seilabhängung oder als LED Leuchte fixiert mit Montageklammern/-federn) eingesetzt.


Die LED Profilabdeckungen Opal/satiniert (Lichtdurchlässigkeit 65 %) oder Klar (Lichtdurchlässigkeit 85 %) bestehen aus bruchsicherem und schwer brennbarem Polycarbonat (Klassifizierung Brennbarkeit UL94 V-2) und schaffen homogene LED Lichtverhältnisse mit hoher Verwertung der Lichtleistung (keine Lichtpunkte, sondern durchgängige Lichtlinie).

Abdeckungen auch in 6 m verfügbar!


Das PL7 LED RUND-Profil ist klein dimensioniert und aufgrund des geringen Gewichtes unter anderem als LED Lichtquelle in Wohn- und Büroräumen sowie im Einzelhandel und der Hotellerie/Gastronomie geeignet.

GALAXY profiles


Perfect Light Lines



PL7 + C2




PL7 + PL10 + C1



PL7 + PL10 + C1 + ZO3

PL7



12,40 mm

GALAXY[®]profiles

COVERS | ABDECKUNGEN

C1	200 cm	Item No. Art. Nr. 8600004	Item No. Art. Nr. 250 cm 8600026
			600 cm 8600037
	200 cm	Item No. Art. Nr. 8600003	

END CAPS | ENDKAPPEN



E22	Item No. Art. Nr. 8106175	E23	Item No. Art. Nr. 8106070
------------	---------------------------------------	------------	---------------------------------------

PROFILE

PL7	Item No. Art. Nr. 8106072	Z01	Item No. Art. Nr. 8106210
		PL10.1	Item No. Art. Nr. 10 cm 8101085 200 cm 8101080

LINEAR LED PENDANT LAMP | LINEARE LED HÄNGELEUCHTE

PL10	Item No. Art. Nr. 8107012	E24	Item No. Art. Nr. 8106035
Z06	Item No. Art. Nr. 8251001	Z03	Item No. Art. Nr. 8301502
Z10	Item No. Art. Nr. 8301504	Z05	Item No. Art. Nr. 8301501
Z11	Item No. Art. Nr. 8301505		



PL7

PL7 ROUND | RUND

LED Stripes max. 12 mm

Aluminium anodized | Aluminium eloxiert
18,73 mm x 15,32 mm | 210 g/m

200 cm Item No. | Art. Nr. 8106072

Z01 Mounting Clips | Montageklammer Item No. | Art. Nr. 8106210

PL10.1 Mounting Profile | Montageprofil | 10 cm Item No. | Art. Nr. 8101085

PL10.1 Mounting Profile | Montageprofil | 200 cm Item No. | Art. Nr. 8101080


max.
12 mm



OEM



COVERS | ABDECKUNGEN




C1 opal/satinised | opal/satiniert | 65 %

PC | 13,81 mm x 4,37 mm

200 cm Item No. | Art. Nr. 8600004

250 cm Item No. | Art. Nr. 8600026

600 cm Item No. | Art. Nr. 8600037



C2 transparent | klar | 85 %

PC | 13,81 mm x 4,37 mm

200 cm Item No. | Art. Nr. 8600003

END CAPS | ENDKAPPEN



E22

PVC | 1 PCS/STK

Gray | Grau Item No. | Art. Nr. 8106175



E23 Cable | Kabel

PVC | 1 PCS/STK

Gray | Grau Item No. | Art. Nr. 8106070

LINEAR LED PENDANT LAMP | LINEARE LED HÄNGELEUCHTE



PL10 cable universal duct | Kabel-Universalkanal

200 cm | Item No. | Art. Nr. 8107012

CONNECTER | VERBINDER Z10 180° Item No. | Art. Nr. 8301504

CONNECTER | VERBINDER Z11 90° Item No. | Art. Nr. 8301505



E24 Aluminium

2 PCS/STK

incl. screws | inkl. Schraube

Item No. | Art. Nr. 8106035



Z06 Aluminium

Spring-Gripper

Montagefeder

Item No. | Art. Nr. 8251001



Z03 Aluminium 1,5 m

Hanging Wire System

Seilabhängung | Set | 75 kg

Item No. | Art. Nr. 8301502



Z05 Aluminium

Gripper Set

Gelenkgripper Set

Item No. | Art. Nr. 8301501